

ISO 9001



Welded Steel Pipe Nipples & READY CUT PIPE

A53 Type F CW
A53 Type E ERW



CANADIAN PRICE SHEET
MWPN-01.09

EFFECTIVE JAN 5, 2009

(THIS SUPERSEDES PRICE LIST MWPN-7.08)

F.O.B. TERMS:

All prices are F.O.B. point of shipment. Title of goods shall pass to the buyer upon delivery of the shipment to the carrier.

LOSS OR DAMAGE CLAIMS:

All goods are shipped at buyer's risk. Shipments should be carefully examined upon delivery and before the carrier's delivery receipt is signed. If any loss or damage is evident, the buyer should make an appropriate notation on the delivery receipt and insist that the carrier's driver initial such exception. The contents of all packages should be carefully examined for concealed damage as soon as possible after delivery, so that the carrier can be requested, within 48 hours after delivery, to arrange for prompt inspection of the damaged goods.

FREIGHT TERMS:

Mueller Flow Control reserves the right to select the carrier for all shipments.

NOTE:

Prices apply **only to Standard Sizes** as listed in price sheet. **Non-standard** sizes produced to order only if available – prices on application. Sale is final not subject to cancellation, except upon agreement to make payment for work performed.

NOTE:

On orders received for cartoned items in less than "carton (not container) quantities", we reserve the right to adjust to the next carton quantity above the number of pieces shown on the order.

NOTE:

All orders are accepted on the basis of prices in effect at time of shipment.

NOTE:

To the prices and terms quoted, there will be added any Manufacturer's or Sales Taxes payable on the transaction.

NOTE:

***Not all items are available at all locations.
Please contact your local
Mueller Flow Control representative for
product availability.***

***Subject to change without notice.
Please visit our website for most current list price
information/changes or contact a Mueller Flow
Control representative.***

www.muellerflow.com

CW Welded Steel Pipe Nipples

ASTM A733 / A53 TYPE F CW



LIST PRICE PER EACH

SCH.40 / STANDARD BLACK STEEL NIPPLES - WELDED RIGHT HAND THREADS

Material Specification ASTM A53 Type F CW

| Length | | | | | | | | | | | | | | | | | | | |
|--------|-------|--------|-------|------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--|
| Size | Close | Close | 1 1/2 | 2 | 2 1/2 | 3 | 3 1/2 | 4 | 4 1/2 | 5 | 5 1/2 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | |
| 1/8 | 3/4 | 4.24 | 4.41 | 4.60 | 5.14 | 5.39 | 5.87 | 6.07 | 6.98 | 7.13 | 7.47 | 8.27 | 8.80 | 9.29 | 9.78 | 10.40 | 10.88 | 11.58 | |
| 1/4 | 7/8 | 3.75 | 3.92 | 4.12 | 4.65 | 4.90 | 5.30 | 5.54 | 7.30 | 7.74 | 7.95 | 8.19 | 8.48 | 9.01 | 9.46 | 10.12 | 10.56 | 11.18 | |
| 3/8 | 1 | 3.80 | 3.95 | 4.20 | 4.73 | 5.05 | 5.54 | 6.07 | 7.42 | 7.87 | 8.08 | 8.76 | 9.21 | 9.74 | 10.27 | 11.01 | 11.54 | 12.15 | |
| 1/2 | 1 1/8 | 1.83 | 1.86 | 2.02 | 2.15 | 2.39 | 2.71 | 2.85 | 3.17 | 3.36 | 3.59 | 3.78 | 8.57 | 9.50 | 10.44 | 10.77 | 11.41 | 12.11 | |
| 3/4 | 1 3/8 | 2.19 | 2.25 | 2.39 | 2.41 | 2.75 | 3.04 | 3.24 | 3.56 | 3.78 | 4.14 | 4.58 | 10.77 | 11.22 | 12.03 | 12.64 | 13.49 | 14.51 | |
| 1 | 1 1/2 | 3.24 | | 3.56 | 3.78 | 3.95 | 4.41 | 4.70 | 5.19 | 5.58 | 5.92 | 6.17 | 13.66 | 14.44 | 15.91 | 16.72 | 17.69 | 18.60 | |
| 1 1/4 | 1 5/8 | 4.09 | | 4.48 | 4.60 | 5.07 | 5.58 | 5.97 | 6.40 | 6.89 | 7.28 | 7.74 | 16.44 | 17.54 | 19.05 | 20.30 | 21.81 | 22.80 | |
| 1 1/2 | 1 3/4 | 4.90 | | 5.26 | 5.78 | 6.14 | 6.92 | 7.41 | 7.87 | 8.33 | 8.89 | 9.34 | 18.67 | 19.81 | 21.21 | 22.55 | 24.06 | 25.28 | |
| 2 | 2 | 6.36 | | | 7.06 | 7.65 | 8.60 | 9.43 | 10.09 | 10.84 | 11.76 | 12.50 | 22.38 | 25.56 | 27.45 | 29.32 | 32.41 | 34.66 | |
| 2 1/2 | 2 1/2 | 29.40 | | | | 30.78 | 33.96 | 35.23 | 37.68 | 39.96 | 42.53 | 44.78 | 45.92 | 47.02 | 51.50 | 56.28 | 61.05 | 65.69 | |
| 3 | 2 5/8 | 33.56 | | | | 34.45 | 38.58 | 39.48 | 41.68 | 44.53 | 47.30 | 50.12 | 51.59 | 57.50 | 62.43 | 68.26 | 74.18 | 80.10 | |
| 3 1/2 | 2 3/4 | 47.02 | | | | | 53.18 | 55.34 | 58.76 | 61.05 | 62.60 | 67.03 | 75.41 | 83.77 | 91.91 | 100.15 | 108.52 | 116.84 | |
| 4 | 2 7/8 | 50.32 | | | | | 54.77 | 57.09 | 60.27 | 65.33 | 70.47 | 75.64 | 83.56 | 92.81 | 101.99 | 111.20 | 120.55 | 129.76 | |
| 5 | 3 | 175.30 | | | | | | | 201.69 | 206.06 | 218.49 | 231.01 | 240.93 | 251.98 | 261.23 | 268.49 | 288.19 | 307.75 | |
| 6 | 3 1/8 | 215.88 | | | | | | | 258.37 | 263.55 | 278.77 | 294.71 | 296.91 | 309.23 | 318.80 | 343.40 | 367.91 | 392.17 | |
| 8 | 3 1/2 | 379.13 | | | | | | | 439.18 | 454.69 | 469.60 | 500.44 | 531.14 | 561.85 | 592.40 | 623.01 | 653.68 | | |

SCH.40 / STANDARD GALVANIZED STEEL NIPPLES - WELDED RIGHT HAND THREADS

Material Specification ASTM A53 Type F CW

| Length | | | | | | | | | | | | | | | | | | | |
|--------|-------|--------|-------|------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|----------------------|--|
| Size | Close | Close | 1 1/2 | 2 | 2 1/2 | 3 | 3 1/2 | 4 | 4 1/2 | 5 | 5 1/2 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | |
| 1/8 | 3/4 | 4.81 | 5.14 | 5.83 | 6.77 | 7.21 | 7.87 | 8.23 | 8.65 | 9.10 | 9.46 | 9.91 | 10.93 | 11.67 | 11.94 | 13.01 | 13.91 | 14.64 | |
| 1/4 | 7/8 | 4.20 | 4.48 | 4.81 | 5.51 | 5.83 | 6.32 | 6.98 | 7.87 | 8.53 | 9.10 | 9.54 | 10.24 | 11.67 | 11.71 | 12.39 | 13.34 | 14.02 | |
| 3/8 | 1 | 4.37 | 4.60 | 4.90 | 5.62 | 6.00 | 6.53 | 7.17 | 8.32 | 9.29 | 9.67 | 10.12 | 10.65 | 11.41 | 12.32 | 13.21 | 13.94 | 14.85 | |
| 1/2 | 1 1/8 | 2.22 | 2.39 | 2.58 | 2.80 | 3.04 | 3.39 | 3.73 | 3.95 | 4.28 | 4.67 | 4.97 | 10.93 | 12.64 | 13.09 | 13.66 | 14.85 | 15.66 | |
| 3/4 | 1 3/8 | 2.71 | 2.80 | 2.94 | 3.24 | 3.59 | 4.09 | 4.48 | 4.83 | 5.22 | 5.62 | 6.14 | 14.19 | 15.74 | 16.52 | 16.72 | 17.86 | 19.81 | |
| 1 | 1 1/2 | 3.99 | | 4.41 | 4.77 | 5.16 | 5.75 | 6.27 | 6.75 | 7.21 | 7.58 | 8.07 | 17.29 | 18.67 | 20.55 | 22.19 | 23.48 | 24.59 | |
| 1 1/4 | 1 5/8 | 5.16 | | 5.72 | 6.01 | 6.46 | 7.26 | 7.90 | 8.50 | 9.11 | 9.63 | 10.26 | 21.89 | 23.90 | 25.56 | 27.60 | 28.83 | 31.20 | |
| 1 1/2 | 1 3/4 | 6.31 | | 6.66 | 7.26 | 7.80 | 8.72 | 9.53 | 10.28 | 11.04 | 11.76 | 12.31 | 23.74 | 26.30 | 28.38 | 30.29 | 31.80 | 33.92 | |
| 2 | 2 | 8.16 | | | 8.99 | 9.92 | 11.23 | 12.21 | 13.06 | 14.04 | 15.06 | 16.03 | 31.12 | 33.32 | 35.93 | 38.33 | 40.98 | 43.95 | |
| 2 1/2 | 2 1/2 | 38.69 | | | | 39.96 | 44.90 | 46.16 | 49.10 | 52.89 | 56.72 | 59.74 | 62.56 | 66.43 | 69.69 | 75.85 | 82.17 | 88.57 | |
| 3 | 2 5/8 | 45.80 | | | | 47.02 | 52.61 | 54.03 | 57.46 | 61.29 | 65.16 | 69.09 | 74.79 | 79.56 | 87.71 | 96.16 | 104.07 | 112.43 | |
| 3 1/2 | 2 3/4 | 62.30 | | | | | 67.52 | 74.67 | 78.66 | 85.59 | 92.21 | 98.81 | 106.19 | 112.43 | 123.80 | 135.06 | 143.82 | 157.48 | |
| 4 | 2 7/8 | 68.18 | | | | | 74.26 | 76.05 | 82.09 | 88.94 | 96.16 | 103.09 | 115.73 | 129.18 | 141.62 | 154.68 | 167.43 | 180.41 | |
| 5 | 3 | 234.61 | | | | | | | 253.11 | 277.50 | 294.26 | 311.67 | 329.98 | 361.91 | 376.31 | 389.56 | 396.99 | 424.42 | |
| 6 | 3 1/8 | 293.24 | | | | | | | 362.35 | 370.39 | 392.09 | 414.92 | 438.37 | 457.74 | 474.01 | 486.74 | 521.97 | 557.16 | |
| 8 | 3 1/2 | | | | | | | | | | | | | | | | | PRICE ON APPLICATION | |

CW Welded Steel Pipe Nipples

ASTM A733 / A53 TYPE F CW



LIST PRICE PER EACH

SCH.80 / EXTRA STRONG BLACK STEEL NIPPLES - WELDED RIGHT HAND THREADS

Material Specification ASTM A53 Type F CW

| Size | Length | | | | | | | | | | | | | | | | | |
|-------|--------|--------|-------|-------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | Close | Close | 1 1/2 | 2 | 2 1/2 | 3 | 3 1/2 | 4 | 4 1/2 | 5 | 5 1/2 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
| 1/8 | 3/4 | 7.02 | 7.17 | 7.70 | 8.32 | 8.80 | 9.74 | 10.31 | 10.80 | 11.58 | 12.32 | 13.09 | 15.17 | 16.93 | 18.39 | 19.86 | 21.36 | 23.00 |
| 1/4 | 7/8 | 4.48 | 4.65 | 4.90 | 5.14 | 5.54 | 6.07 | 6.53 | 7.17 | 7.87 | 8.53 | 9.10 | 9.59 | 10.44 | 11.46 | 12.32 | 13.45 | 15.17 |
| 3/8 | 1 | 4.98 | 5.05 | 5.39 | 5.71 | 6.07 | 6.73 | 7.42 | 8.32 | 8.97 | 9.78 | 10.27 | 10.88 | 11.62 | 12.73 | 13.70 | 14.81 | 15.87 |
| 1/2 | 1 1/8 | 4.60 | 4.90 | 5.18 | 5.71 | 6.00 | 6.77 | 7.38 | 7.95 | 8.53 | 9.06 | 9.50 | 14.60 | 15.99 | 16.55 | 17.21 | 18.39 | 19.86 |
| 3/4 | 1 3/8 | 5.62 | 5.79 | 6.07 | 6.45 | 6.89 | 7.66 | 8.15 | 8.80 | 9.46 | 10.16 | 10.77 | 17.16 | 18.88 | 19.86 | 20.68 | 22.34 | 24.22 |
| 1 | 1 1/2 | 8.44 | | 9.14 | 9.74 | 10.27 | 11.26 | 11.90 | 12.81 | 13.45 | 14.23 | 15.13 | 20.68 | 22.80 | 24.96 | 27.20 | 29.65 | 32.05 |
| 1 1/4 | 1 5/8 | 10.52 | | 11.18 | 12.03 | 12.81 | 14.11 | 15.13 | 16.10 | 17.16 | 18.07 | 19.09 | 26.01 | 28.91 | 31.65 | 34.66 | 37.52 | 40.09 |
| 1 1/2 | 1 3/4 | 12.32 | | 13.05 | 14.19 | 15.08 | 16.72 | 18.18 | 19.05 | 20.30 | 21.41 | 22.68 | 27.45 | 30.55 | 33.52 | 36.70 | 39.75 | 42.89 |
| 2 | 2 | 16.44 | | | 18.07 | 19.62 | 21.85 | 23.53 | 25.37 | 27.24 | 28.83 | 30.55 | 37.06 | 41.19 | 45.43 | 49.79 | 54.03 | 58.40 |
| 2 1/2 | 2 1/2 | 49.55 | | | | 51.59 | 57.91 | 59.65 | 62.92 | 67.12 | 71.21 | 75.41 | 77.72 | 82.22 | 86.17 | 93.91 | 101.91 | 109.73 |
| 3 | 2 5/8 | 55.70 | | | | 56.76 | 63.36 | 65.00 | 68.71 | 73.29 | 77.76 | 82.33 | 84.49 | 94.12 | 103.98 | 113.77 | 123.56 | 133.39 |
| 3 1/2 | 2 3/4 | 75.64 | | | | | 81.52 | 89.56 | 94.12 | 97.96 | 105.21 | 113.40 | 121.12 | 134.28 | 147.13 | 160.18 | 173.47 | 186.44 |
| 4 | 2 7/8 | 82.58 | | | | | 88.65 | 93.10 | 95.90 | 106.72 | 116.14 | 123.23 | 138.03 | 153.37 | 157.48 | 183.74 | 199.08 | 214.05 |
| 5 | 3 | 287.32 | | | | | | | 301.77 | 321.34 | 340.87 | 360.48 | 370.96 | 380.38 | 393.55 | 426.67 | 455.98 | 486.70 |
| 6 | 3 1/8 | 346.99 | | | | | | | | 428.05 | 445.59 | 462.47 | 483.56 | 489.26 | 489.67 | 530.74 | 571.89 | 612.99 |
| 8 | 3 1/2 | | | | | | | | | | | | | | | | | 654.05 |

PRICE ON APPLICATION

SCH.80 / EXTRA STRONG GALVANIZED STEEL NIPPLES - WELDED RIGHT HAND THREADS

Material Specification ASTM A53 Type F CW

| Size | Length | | | | | | | | | | | | | | | | | |
|-------|--------|-------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | Close | Close | 1 1/2 | 2 | 2 1/2 | 3 | 3 1/2 | 4 | 4 1/2 | 5 | 5 1/2 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
| 1/8 | 3/4 | 10.23 | 10.58 | 11.32 | 12.01 | 12.91 | 14.19 | 14.97 | 15.92 | 16.91 | 18.04 | 19.07 | 22.14 | 24.63 | 26.79 | 29.01 | 32.00 | 33.42 |
| 1/4 | 7/8 | 7.09 | 7.17 | 7.27 | 7.56 | 8.16 | 8.94 | 9.39 | 9.95 | 10.83 | 11.47 | 12.31 | 11.47 | 15.34 | 16.66 | 18.04 | 20.37 | 21.15 |
| 3/8 | 1 | 7.49 | 7.86 | 8.08 | 8.46 | 8.94 | 9.88 | 10.33 | 10.93 | 11.76 | 12.56 | 13.40 | 15.47 | 16.91 | 18.49 | 19.87 | 21.60 | 23.23 |
| 1/2 | 1 1/8 | 6.68 | 7.21 | 7.66 | 8.16 | 8.80 | 9.95 | 10.67 | 11.61 | 12.42 | 13.14 | 13.90 | 21.31 | 23.29 | 24.22 | 25.02 | 26.85 | 28.93 |
| 3/4 | 1 3/8 | 8.20 | 8.46 | 8.90 | 9.35 | 10.14 | 11.12 | 11.92 | 12.85 | 13.74 | 14.78 | 15.67 | 24.92 | 27.54 | 28.93 | 30.15 | 33.71 | 35.25 |
| 1 | 1 1/2 | 12.42 | | 13.35 | 14.19 | 14.93 | 16.41 | 17.46 | 18.68 | 19.63 | 20.86 | 22.01 | 30.10 | 33.32 | 36.59 | 39.80 | 43.20 | 46.77 |
| 1 1/4 | 1 5/8 | 11.05 | | 16.31 | 17.55 | 18.68 | 20.57 | 22.05 | 23.48 | 24.92 | 26.40 | 27.84 | 37.91 | 42.27 | 46.27 | 50.62 | 54.63 | 58.54 |
| 1 1/2 | 1 3/4 | 13.18 | | 19.63 | 21.15 | 22.65 | 25.12 | 26.90 | 28.52 | 30.41 | 32.19 | 34.06 | 41.23 | 45.98 | 50.33 | 55.13 | 58.29 | 64.47 |
| 2 | 2 | 17.22 | | | 24.67 | 28.62 | 31.94 | 34.31 | 37.02 | 39.41 | 42.07 | 44.54 | 54.03 | 60.11 | 66.49 | 72.67 | 78.95 | 85.27 |
| 2 1/2 | 2 1/2 | 47.61 | | | | 68.92 | 77.37 | 79.69 | 82.18 | 89.74 | 95.01 | 100.61 | 103.91 | 109.75 | 115.09 | 125.61 | 136.16 | 146.43 |
| 3 | 2 5/8 | 53.50 | | | | 75.90 | 84.78 | 86.86 | 91.76 | 97.93 | 103.91 | 110.10 | 118.55 | 125.92 | 138.91 | 153.45 | 164.77 | 177.77 |
| 3 1/2 | 2 3/4 | | | | | | | | | | | | | | | | | |
| 4 | 2 7/8 | 78.90 | | | | | 124.23 | 131.21 | 142.23 | 153.00 | 163.99 | 184.15 | 204.23 | 224.29 | 244.26 | 264.59 | 203.40 | |
| 5-6-8 | | | | | | | | | | | | | | | | | | |

PRICE ON APPLICATION

PRICE ON APPLICATION

SCH.40 / STANDARD BLACK STEEL NIPPLES - WELDED RIGHT & LEFT HAND THREADS

Material Specification ASTM A53 Type F CW

| Size | 2 | 2 1/2 | 3 | 3 1/2 | 4 | 4 1/2 | 5 | 5 1/2 | 6 |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1/2 | 6.28 | 6.57 | 7.17 | 7.81 | 8.20 | 8.94 | 9.54 | 10.14 | 10.63 |
| 3/4 | 7.47 | 8.01 | 8.30 | 8.94 | 9.54 | 10.33 | 11.27 | 12.08 | 12.95 |
| 1 | 11.76 | 11.76 | 12.36 | 13.24 | 14.14 | 14.97 | 16.06 | 17.01 | 17.81 |
| 1 1/4 | 14.48 | 14.48 | 15.28 | 16.37 | 17.60 | 18.74 | 20.18 | 21.25 | 22.45 |
| 1 1/2 | | 17.50 | 18.74 | 20.12 | 21.54 | 22.94 | 24.48 | 25.56 | 27.24 |
| 2 | | 22.01 | 23.58 | 25.21 | 27.24 | 29.28 | 31.30 | 33.32 | 35.35 |

ERW Welded Steel Pipe Nipples

ASTM A733 / A53 TYPE E ERW



LIST PRICE PER EACH

SCH.40 / STANDARD BLACK STEEL NIPPLES - WELDED RIGHT HAND THREADS

Material Specification ASTM A53 Type E ERW

| Length | | | | | | | | | | | | | | | | | | | |
|--------|-------|---------------|-------------|-------------|-------------|--------------|--------------|--------------|--------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| Size | Close | Close | 1 1/2 | 2 | 2 1/2 | 3 | 3 1/2 | 4 | 4 1/2 | 5 | 5 1/2 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | |
| 1/2 | 1 1/8 | 2.53 | 2.61 | 2.82 | 2.97 | 3.31 | 3.75 | 3.99 | 4.45 | 4.69 | 5.05 | 5.34 | 9.54 | 10.65 | 11.67 | 12.07 | 12.77 | 13.54 | |
| 3/4 | 1 3/8 | 3.06 | 3.10 | 3.31 | 3.01 | 3.88 | 4.24 | 4.56 | 4.94 | 5.34 | 5.83 | 6.36 | 12.07 | 12.56 | 13.45 | 14.19 | 15.13 | 16.23 | |
| 1 | 1 1/2 | 4.48 | | 4.98 | 5.34 | 5.54 | 6.11 | 6.64 | 7.26 | 7.83 | 8.27 | 8.65 | 15.29 | 16.14 | 17.82 | 18.75 | 19.81 | 20.87 | |
| 1 1/4 | 1 5/8 | 5.71 | | 6.24 | 6.45 | 7.06 | 7.83 | 8.36 | 9.01 | 9.67 | 10.20 | 10.80 | 18.39 | 19.70 | 21.32 | 22.80 | 24.43 | 25.56 | |
| 1 1/2 | 1 3/8 | 6.89 | | 7.38 | 8.08 | 8.57 | 9.71 | 10.40 | 10.97 | 11.62 | 12.39 | 13.05 | 20.92 | 22.27 | 23.78 | 25.28 | 27.00 | 28.26 | |
| 2 | 2 | 8.89 | | | 9.82 | 10.69 | 12.03 | 13.13 | 14.15 | 15.13 | 16.44 | 17.50 | 25.61 | 28.63 | 30.74 | 32.86 | 36.34 | 38.82 | |
| 2 1/2 | 2 1/2 | 32.90 | | | | 34.49 | 38.09 | 39.48 | 42.21 | 44.74 | 47.58 | 50.19 | 51.46 | 52.65 | 57.70 | 63.04 | 68.39 | 73.61 | |
| 3 | 2 5/8 | 37.63 | | | | 38.62 | 43.23 | 44.21 | 46.65 | 49.87 | 53.01 | 56.11 | 57.74 | 64.36 | 69.89 | 76.50 | 83.07 | 89.71 | |
| 3 1/2 | 2 3/4 | 52.65 | | | | | 59.62 | 61.98 | 65.82 | 68.39 | 70.10 | 75.11 | 84.45 | 93.83 | 102.97 | 112.19 | 121.57 | 130.82 | |
| 4 | 2 7/8 | 56.40 | | | | | 61.37 | 63.98 | 67.49 | 73.16 | 74.83 | 84.74 | 93.59 | 103.98 | 114.23 | 124.54 | 135.02 | 145.30 | |
| 5 | 3 | 196.30 | | | | | | | | 225.87 | 230.77 | 244.71 | 258.70 | 269.80 | 282.23 | 292.58 | 300.75 | 322.73 | 385.45 |
| 6 | 3 1/8 | 241.78 | | | | | | | | 289.36 | 295.19 | 312.25 | 330.11 | 332.55 | 346.29 | 357.09 | 384.58 | 412.07 | 439.23 |
| 8 | 3 1/2 | 424.63 | | | | | | | | | 491.92 | 509.25 | 525.96 | 560.50 | 594.88 | 629.29 | 663.46 | 697.81 | 732.10 |

SCH.80 / EXTRA STRONG BLACK STEEL NIPPLES - WELDED RIGHT HAND THREADS

Material Specification ASTM A53 Type E ERW

| Length | | | | | | | | | | | | | | | | | | | |
|--------|-------|--------------|-------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--|
| Size | Close | Close | 1 1/2 | 2 | 2 1/2 | 3 | 3 1/2 | 4 | 4 1/2 | 5 | 5 1/2 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | |
| 1/2 | 1 1/8 | 5.14 | 5.51 | 5.83 | 6.36 | 6.73 | 7.62 | 8.27 | 8.97 | 9.54 | 10.16 | 10.69 | 16.35 | 17.86 | 18.60 | 19.28 | 20.55 | 22.31 | |
| 3/4 | 1 3/8 | 6.28 | 6.49 | 6.81 | 7.17 | 7.70 | 8.61 | 9.10 | 9.87 | 10.60 | 11.37 | 12.07 | 19.17 | 21.17 | 22.31 | 23.12 | 25.03 | 27.07 | |
| 1 | 1 1/2 | 9.46 | | 10.27 | 10.88 | 11.54 | 12.64 | 13.34 | 14.36 | 15.08 | 15.99 | 16.97 | 23.12 | 25.56 | 27.98 | 30.46 | 33.24 | 35.85 | |
| 1 1/4 | 1 5/8 | 11.82 | | 12.52 | 13.49 | 14.36 | 15.78 | 16.97 | 18.07 | 19.24 | 20.19 | 21.36 | 29.12 | 32.37 | 35.40 | 38.82 | 42.04 | 44.93 | |
| 1 1/2 | 1 3/4 | 13.79 | | 14.60 | 15.87 | 16.84 | 18.75 | 20.39 | 21.32 | 22.76 | 23.97 | 25.41 | 30.74 | 34.21 | 37.52 | 41.11 | 44.48 | 48.04 | |
| 2 | 2 | 18.39 | | | 20.19 | 22.02 | 24.46 | 26.34 | 28.42 | 30.50 | 32.30 | 34.21 | 41.51 | 46.12 | 50.89 | 55.79 | 60.52 | 65.42 | |

CW Welded Steel Ready Cut Pipe

ASTM A733 / A53 TYPE F CW

LIST PRICE PER EACH



SCH.40 / STANDARD BLACK STEEL READY CUT PIPE - WELDED RIGHT HAND THREADS

Material Specification ASTM A53 Type F CW

| Size | Length | | | | | |
|-------|--------|-------|-------|--------|--------|--------|
| | 18" | 24" | 30" | 36" | 48" | 60" |
| 1/8 | 16.82 | 19.35 | 23.58 | 28.13 | 37.52 | 46.91 |
| 1/4 | 19.69 | 23.20 | 26.82 | 33.40 | 40.63 | 48.29 |
| 3/8 | 21.71 | 25.73 | 30.09 | 36.13 | 45.53 | 54.58 |
| 1/2 | 17.22 | 21.28 | 26.58 | 31.88 | 42.45 | 53.09 |
| 3/4 | 21.48 | 25.70 | 31.99 | 11.85 | 51.19 | 63.90 |
| 1 | 30.02 | 36.24 | 42.82 | 49.78 | 65.52 | 81.82 |
| 1 1/4 | 37.58 | 47.66 | 62.61 | 75.11 | 95.34 | 117.05 |
| 1 1/2 | 41.57 | 55.35 | 65.58 | 76.73 | 97.29 | 119.05 |
| 2 | 56.93 | 74.67 | 88.41 | 103.10 | 130.66 | 159.61 |

SCH.40 / STANDARD GALVANIZED STEEL READY CUT PIPE - WELDED RIGHT HAND THREADS

Material Specification ASTM A53 Type F CW

| Size | Length | | | | | |
|-------|--------|-------|--------|--------|--------|--------|
| | 18" | 24" | 30" | 36" | 48" | 60" |
| 1/8 | 18.80 | 28.64 | 30.46 | 41.13 | 53.16 | 65.78 |
| 1/4 | 23.84 | 30.29 | 30.59 | 45.38 | 60.52 | 75.51 |
| 3/8 | 27.12 | 31.95 | 37.58 | 47.92 | 63.83 | 79.80 |
| 1/2 | 21.34 | 28.03 | 35.02 | 41.94 | 55.96 | 69.94 |
| 3/4 | 26.95 | 35.52 | 44.48 | 53.33 | 71.06 | 88.79 |
| 1 | 38.09 | 47.48 | 56.91 | 66.97 | 88.15 | 110.20 |
| 1 1/4 | 50.75 | 62.91 | 75.48 | 89.03 | 114.25 | 140.72 |
| 1 1/2 | 56.93 | 73.52 | 88.51 | 104.56 | 134.71 | 166.09 |
| 2 | 73.72 | 98.30 | 120.06 | 141.51 | 181.83 | 223.94 |



Other Sizes & Schedules - Price on Application

Galvanized ERW : Plus 50%
Quantities other than Standard Carton Packing : Plus 20%

| | Grooved Both Ends | Adapters Grooved One End Other End Threaded Bevelled or Plain |
|-----------------------|-------------------|--|
| SCH.40 / STANDARD | 100% | 50% |
| SCH.80 / EXTRA STRONG | 100% | 50% |
| XXS SMLS/Sch.160 SMLS | 100% | 50% |

| | |
|---|--------|
| 1 1/4 TANK LEGS | P.O.A. |
| BEVELLED 37 1/2" +/- 2.5 | 100% |
| PLAIN END, SQUARE CUT AND DEBURRED ONE END OR BOTH | 20% |
| DOUBLE CHAMFERED (SCH80/EXTRA STRONG ONLY) | P.O.A. |

SPECIAL NIPPLES ARE NON CANCELLABLE / NON RETURNABLE

TANK LEGS AVAILABLE UPON REQUEST

ALL TAXES EXTRA
TERMS 2% - 15th MONTH FOLLOWING
SUBJECT TO PRIOR SALE
SUBJECT TO CHANGE WITHOUT NOTICE



www.muellerflow.com

Delta, B.C. V4G 1H2
7168 Progress Way
Distribution Centre
PH: (604) 940-1449 (800) 663-4263
FAX: (604) 940-9878

Nanaimo, B.C. V9T 3Y4
2560 Kenworth Road
PH: (250) 758-1551 (800) 560-1651
FAX: (250) 758-1160

Edmonton, AB T5G 0W5
11340 120th Street
Distribution Centre
PH: (780) 452-9841 (800) 663-1248
FAX: (780) 452-9873

Winnipeg, MB R3H 0M2
777 Century Street
Distribution Centre
PH: (204) 774-3461 (800) 656-6125
FAX: (204) 786-5044

Saskatoon, SK S7K 5B5
503 47th Street East
PH: (306) 242-6788 (800) 667-3002
FAX: (306) 242-5089

Stoney Creek, ON L8E 2V9
470 Seaman Street
Distribution Centre
PH: (905) 664-9230 (800) 268-0360
FAX: (905) 664-9556 (800) 817-4631

Sudbury, ON P3E 5P5
1275 Kelly Lake Road
PH: (705) 671-9600 (800) 397-8708
FAX: (705) 671-8082 (800) 289-0264

Montreal, PQ H4P 1V6
3980 Jean Talon Street West
Distribution Centre
PH: (514) 342-2100 (800) 361-9311
FAX: (514) 342-2177

Prince George, B.C. V2K 4L2
381 Unit A McAloney Crescent
Ph: (250) 561-1219 (800) 210-5672
FAX: (250) 561-7358

Vancouver, B.C. V5Y 1B8
125 West 2nd Avenue
PH: (604) 875-6990
FAX: (604) 875-6962

Regina, SK S4P 3W7
285 Mill Street
PH: (306) 543-5536 (800) 667-7707
FAX: (306) 545-0390

Sarnia, ON N7T 2G6
211 Campbell Street
PH: (519) 336-7690 (800) 265-7508
FAX: (519) 336-1621

Etobicoke, ON M8Z 1K8
377 Evans Avenue
PH: (416) 251-4171
FAX: (416) 251-4569

Ville Vanier, PQ G1M 2W8
765 Avenue Godin
PH: (418) 650-5766 (888) 340-3086
FAX: (418) 266-0252

Ottawa, ON K1G 3W3
2320 Stevenage Drive , Unit B
PH: (613) 736-7282
FAX: (613) 736-9708

Dartmouth, NS B3B 1M7
141B Joseph Zatzman Drive
PH: (902) 827-5754 (866) 661-5754
FAX: (902) 446-4744

Distributed By: